CHANGE CONTROL INDEX

LTRS	REVISIONS		
ORIGINATOR	CHECKER	ENGR APP	MATL APP
			INITIAL RELEASE
CHJC14-1B347-AA-00-FNA-ECN/1 PRELIMINARY			20170925
FTSI	RWAGNE43	RJOHNS15	--
REVISED : PG 25, PG 26, PG 27, PG 29, PG 31; NOTE REMOVED CHJC14-1B347-AA-00-FNA-ECN/2 PRELIMINARY			20171027
FTSI	RWAGNE43	RJOHNS15	-
REVISED : CHANGE CONTROL INDEX SHEET - UPDATED CHJC14-1B347-AA-00-FNA-ECN/3 PRELIMINARY			20180309
FTSI	RWAGNE43	RJOHNS15	-

1
TRANSIT

TRANSIT INDEX

2018
MODEL YEAR

TRANSIT	Page
Model Lineup	2-9
Dimensional Data	10-22
Rear Frame Extension	23
Back of Cab Mounting Holes Fuel	24
Tanks	25
Rear Axle Track Width	26
Exhaust Extension Kit	27
Front Surface Area Worksheet Seat	28-29
H-Point	30
Airbag Occupant Protection Zones	31
Electrical - Trailer Towing	32-33

TRANSIT
MODEL LINEUP
WAGON REGULAR WHEELBASE

GVWR/PAYLOAD/ARC/GAWR/BASE CURB WEIGHT - Wagon Regular WB, Low Roof (82.2")

					Max. Std. Spring GAWR (lbs.)		Base Curb Weight (lbs.)		
Wheelbase (in.)	Engine	Max. GVWR (lbs.)	Max. Payload (lbs.)	ARC Weight (lbs.)	Front	Rear	Front	Rear	Total
130.0	3.7L	8550	2980	TBD	4130	5070	2919	2595	5514
130.0	3.7L	8550	2870	TBD	4130	5070	2909	2709	5618
130.0	3.5L	8550	2900	TBD	4130	5070	3002	2584	5586
130.0	3.5L	8550	2790	TBD	4130	5070	2992	2704	5696

GVWR/PAYLOAD/ARC/GAWR/BASE CURB WEIGHT - Wagon Regular WB, Medium Roof (98.7")

					Max. Std. Spring GAWR (lbs.)		Base Curb Weight (lbs.)		
Wheelbase (in.)	Engine	Max. GVWR (lbs.)	Max. Payload (lbs.)	ARC Weight (lbs.)	Front	Rear	Front	Rear	Total
130.0	3.7L	8550	2780	TBD	4130	5070	2987	2724	5711
130.0	3.7L	8550	2670	TBD	4130	5070	2977	2844	5821
130.0	3.5L	8550	2720	TBD	4130	5070	3033	2736	5769
130.0	3.5L	8550	2610	TBD	4130	5070	3023	2856	5879

TRANSIT
MODEL LINEUP
WAGON LONG WHEELBASE

GVWR/PAYLOAD/ARC/GAWR/BASE CURB WEIGHT - Wagon Long WB, Low Roof (82.4")

					Max. Std. Spring GAWR (lbs.)		Base Curb Weight (lbs.)		
Wheelbase (in.)	Engine	Max. GVWR (lbs.)	Max. Payload (lbs.)	ARC Weight (lbs.)	Front	Rear	Front	Rear	Total
148.0	3.7L	9000	2980	TBD	4130	5730	3107	2848	5955
148.0	3.5L	9000	2940	TBD	4130	5730	3177	2818	5995
148.0	3.2LD	9250	2910	TBD	4130	5730	3407	2865	6272
148.0	3.7L	9000	2800	TBD	4130	5730	3070	3060	6130
148.0	3.5L	9000	2760	TBD	4130	5730	3143	3027	6170
148.0	3.2LD	9250	2730	TBD	4130	5730	3374	3073	6447

GVWR/PAYLOAD/ARC/GAWR/BASE CURB WEIGHT - Wagon Long WB, Medium Roof (99.2")

					Max. Std. Spring GAWR (lbs.)		Base Curb Weight (lbs.)		
Wheelbase (in.)	Engine	Max. GVWR (lbs.)	Max. Payload (lbs.)	ARC Weight (lbs.)	Front	Rear	Front	Rear	Total
148.0	3.7L	9150	2830	--	4130	5730	3120	3136	6256
148.0	3.5L	9150	2780	--	4130	5730	3191	3113	6304
148.0	3.2LD	9400	2700	297	4130	5730	3430	3195	6625
148.0	3.7L	9000	2850	--	4130	5730	3153	2935	6088
148.0	3.5L	9000	2790	--	4130	5730	3227	2912	6139
148.0	3.2LD	9250	2730	580	4130	5730	3432	3021	6453

TRANSIT
MODEL LINEUP
WAGON LWB & LWB-EL, HIGH ROOF

GVWR/PAYLOAD/ARC/GAWR/BASE CURB WEIGHT - Wagon Long WB, High Roof (108.6")

					Max. Std. Spring GAWR (lbs.)		Base Curb Weight (lbs.)		
Wheelbase (in.)	Engine	Max. GVWR (lbs.)	Max. Payload (lbs.)	ARC Weight (lbs.)	Front	Rear	Front	Rear	Total
148.0	3.7L	9150	2750	--	4130	5730	3133	3202	6335
148.0	3.5L	9150	2670	--	4130	5730	3217	3197	6414
148.0	3.2LD	9400	2610	256	4130	5730	3450	3265	6715
148.0	3.7L	9000	2770	--	4130	5730	3174	2987	6161
148.0	3.5L	9000	2700	--	4130	5730	3261	2976	6237
148.0	3.2LD	9250	2640	415	4130	5730	3452	3091	6543

GVWR/PAYLOAD/ARC/GAWR/BASE CURB WEIGHT - Wagon Long WB Extended Length, High Roof (107.7")

					Max. Std. Spring GAWR (lbs.)		Base Curb Weight (lbs.)		
Wheelbase (in.)	Engine	Max. GVWR (lbs.)	Max. Payload (lbs.)	ARC Weight (lbs.)	Front	Rear	Front	Rear	Total
148.0 DRW	3.7L	10,360	3520	--	4130	6720	2987	3782	6769
148.0 DRW	3.5L	10,360	3480	391	4130	6720	3055	3755	6810
148.0 DRW	3.2LD	10,360	3160	109	4130	6720	3303	3821	7124

TRANSIT
MODEL LINEUP
VAN REGULAR WHEELBASE

GVWR/PAYLOAD/ARC/GAWR/BASE CURB WEIGHT - Van Regular WB, Low Roof (83.6")

					Max. Std. Spring GAWR (lbs.)		Base Curb Weight (lbs.)		
Wheelbase (in.)	Engine	Max. GVWR (lbs.)	Max. Payload (lbs.)	ARC Weight (lbs.)	Front	Rear	Front	Rear	Total
130.0	3.7L	8600	3680	TBD	4130	5070	2788	2078	4866
130.0	3.5L	8600	3600	TBD	4130	5070	2872	2071	4943
130.0	3.2LD	8600	3280	TBD	4130	5070	3114	2153	5276
130.0	3.7L	9000	4080	TBD	4130	5515	2788	2078	4866
130.0	3.5L	9000	4000	TBD	4130	5515	2872	2071	4943
130.0	3.2LD	9000	3680	TBD	4130	5515	3114	2153	5267
130.0	3.7L	9500	4580	--	4130	5750	2788	2078	4866
130.0	3.5L	9500	4500	--	4130	5750	2872	2071	4943

GVWR/PAYLOAD/ARC/GAWR/BASE CURB WEIGHT - Van Regular WB, Medium Roof (100.8")

					Max. Std. Spring GAWR (lbs.)		Base Curb Weight (lbs.)		
Wheelbase (in.)	Engine	Max. GVWR (lbs.)	Max. Payload (lbs.)	ARC Weight (lbs.)	Front	Rear	Front	Rear	Total
130.0	3.7L	8600	3550	TBD	4130	5070	2816	2182	4998
130.0	3.5L	8600	3450	TBD	4130	5070	2901	2192	5093
130.0	3.2LD	8600	3140	TBD	4130	5070	3132	2267	5399
130.0	3.7L	9000	3950	TBD	4130	5515	2816	2177	4993
130.0	3.5L	9000	3850	TBD	4130	5515	2905	2191	5096
130.0	3.2LD	9000	3460	TBD	4130	5515	3157	2326	5483
130.0	3.7L	9500	4450	--	4130	5750	2816	2177	4993
130.0	3.5L	9500	4350	--	4130	5750	2906	2190	5096

TRANSIT
MODEL LINEUP
VAN LONG WHEELBASE

GVWR/PAYLOAD/ARC/GAWR/BASE CURB WEIGHT - Van Long WB, Low Roof (83.2")

					Max. Std. Spring GAWR (lbs.)		Base Curb Weight (lbs.)		
Wheelbase (in.)	Engine	Max. GVWR (lbs.)	Max. Payload (lbs.)	ARC Weight (lbs.)	Front	Rear	Front	Rear	Total
148.0	3.7L	8600	3550	TBD	4130	5070	2913	2078	4991
148.0	3.5L	8600	3480	TBD	4130	5070	2988	2080	5068
148.0	3.2LD	8600	3150	TBD	4130	5070	3208	2184	5392
148.0	3.7L	9000	3950	TBD	4130	5515	2913	2078	4991
148.0	3.5L	9000	3880	TBD	4130	5515	2988	2080	5068
148.0	3.2LD	9000	3550	TBD	4130	5515	3241	2151	5392
148.0	3.2LD	9250	3800	--	4130	5515	3241	2151	5392
148.0	3.7L	9500	4450	TBD	4130	5515	2913	2078	4991
148.0	3.5L	9500	4380	TBD	4130	5515	2988	2080	5068

GVWR/PAYLOAD/ARC/GAWR/BASE CURB WEIGHT - Van Long WB, Medium Roof (100.7")

					Max. Std. Spring GAWR (lbs.)		Base Curb Weight (lbs.)		
Wheelbase (in.)	Engine	Max. GVWR (lbs.)	Max. Payload (lbs.)	ARC Weight (lbs.)	Front	Rear	Front	Rear	Total
148.0	3.7L	8600	3400	TBD	4130	5070	2944	2199	5143
148.0	3.5L	8600	3330	TBD	4130	5070	3025	2192	5217
148.0	3.2LD	8600	3020	TBD	4130	5070	3267	2250	5517
148.0	3.7L	9000	3800	TBD	4130	5515	2944	2199	5143
148.0	3.5L	9000	3730	TBD	4130	5515	3025	2192	5217
148.0	3.2LD	9000	3420	TBD	4130	5515	3267	2250	5517
148.0	3.2LD	9250	3670	--	4130	5515	3267	2250	5517
148.0	3.7L	9500	4300	TBD	4130	5515	2944	2199	5143
148.0	3.5L	9500	4230	TBD	4130	5515	3025	2192	5217

TRANSIT
MODEL LINEUP
VAN LWB & LWB-EL, HIGH ROOF

GVWR/PAYLOAD/ARC/GAWR/BASE CURB WEIGHT - Van Long WB, High Roof (110.1")

					Max. Std. Spring GAWR (lbs.)		Base Curb Weight (lbs.)		
Wheelbase (in.)	Engine	Max. GVWR (lbs.)	Max. Payload (lbs.)	ARC Weight (lbs.)	Front	Rear	Front	Rear	Total
148.0	3.7L	9000	3720	TBD	4130	5515	2965	2261	5226
148.0	3.5L	9000	3620	TBD	4130	5515	3056	2265	5321
148.0	3.2LD	9000	3330	TBD	4130	5515	3288	2321	5609
148.0	3.2LD	9250	3580	--	4130	5515	3288	2321	5609
148.0	3.7L	9500	4220	TBD	4130	5515	2965	2261	5226
148.0	3.5L	9500	4120	TBD	4130	5515	3056	2265	5321

GVWR/PAYLOAD/ARC/GAWR/BASE CURB WEIGHT - Van Long WB Extended Length, High Roof (109.4")

					Max. Std. Spring GAWR (lbs.)		Base Curb Weight (lbs.)		
Wheelbase (in.)	Engine	Max. GVWR (lbs.)	Max. Payload (lbs.)	ARC Weight (lbs.)	Front	Rear	Front	Rear	Total
148.0	3.7L	9000	3510	TBD	4130	5515	2822	2607	5429
148.0	3.5L	9000	3430	TBD	4130	5515	2902	2612	5514
148.0	3.2LD	9000	3140	TBD	4130	5515	3153	2645	5798
148.0	3.7L	9500	4010	TBD	4130	6000	2822	2607	5429
148.0	3.5L	9500	3930	TBD	4130	6000	2902	2612	5514
148.0	3.2LD	9500	3640	TBD	4130	6000	3153	2645	5798
148.0 DRW	3.7L	9950	4240	TBD	4130	7275	2853	2798	5651
148.0 DRW	3.5L	9950	4180	--	4130	6835	2920	2783	5703
148.0 DRW	3.2LD	9950	3890	TBD	4130	6835	3152	2846	5998
148.0 DRW	3.7L	10,360	4650	TBD	4130	7275	2853	2798	5651
148.0 DRW	3.5L	10,360	4590	--	4130	7275	2920	2783	5703
148.0 DRW	3.2LD	10,360	4300	TBD	4130	7275	3152	2846	5998

TRANSIT
MODEL LINEUP
CHASSIS CAB

GVWR/PAYLOAD/ARC/GAWR/BASE CURB WEIGHT - Chassis Cab 138”/156”/178” WB, Low Roof (87.2")

					Max. Std. Spring GAWR (lbs.)		Base Curb Weight (lbs.)		
Wheelbase (in.)	Engine	Max. GVWR (lbs.)	Max. Payload (lbs.)	ARC Weight (lbs.)	Front	Rear	Front	Rear	Total
138.0	3.7L	9000	4820	TBD	4130	5515	2866	1265	4131
138.0	3.2LD	9000	4460	TBD	4130	5515	3181	1305	4486
138.0	3.7L	9500	5320	TBD	4130	5750	2866	1265	4131
138.0	3.2LD	9500	4960	TBD	4130	5750	3181	1305	4486
138.0 DRW	3.7L	9950	5580	TBD	4130	6500	2890	1430	4320
138.0 DRW	3.2LD	9950	5240	TBD	4130	6500	3191	1469	4660
138.0 DRW	3.7L	10,360	5990	TBD	4130	7275	2890	1430	4320
138.0 DRW	3.2LD	10,360	5650	TBD	4130	7275	3191	1469	4660
156.0	3.7L	9000	4760	TBD	4130	5515	2896	1295	4191
156.0	3.2LD	9000	4420	TBD	4130	5515	3197	1334	4531
156.0	3.7L	9500	5260	TBD	4130	6000	2896	1295	4191
156.0	3.2LD	9500	4920	TBD	4130	6000	3197	1334	4531
156.0 DRW	3.7L	9950	5530	TBD	4130	6835	2944	1426	4370
156.0 DRW	3.2LD	9950	5180	TBD	4130	6835	3224	1496	4720
156.0 DRW	3.7L	10,360	5940	TBD	4130	7275	2944	1426	4370
156.0 DRW	3.2LD	10,360	5590	TBD	4130	7275	3224	1496	4720
178.0 DRW	3.7L	9950	5500	TBD	4130	6835	2982	1420	4402
178.0 DRW	3.2LD	9950	5080	TBD	4130	6835	3254	1561	4815
178.0 DRW	3.7L	10,360	5910	TBD	4130	7275	2982	1420	4402
178.0 DRW	3.2LD	10,360	5490	TBD	4130	7275	3254	1561	4815

TRANSIT
MODEL LINEUP
CUTAWAY

GVWR/PAYLOAD/ARC/GAWR/BASE CURB WEIGHT - Cutaway 138”/156”/178” WB, Low Roof (87.3")

					Max. Std. Spring GAWR (lbs.)		Base Curb Weight (lbs.)		
Wheelbase (in.)	Engine	Max. GVWR (lbs.)	Max. Payload (lbs.)	ARC Weight (lbs.)	Front	Rear	Front	Rear	Total
138.0	3.7L	9000	4850	TBD	4130	5515	2850	1251	4101
138.0	3.2LD	9000	4500	TBD	4130	5515	3156	1295	4451
138.0	3.7L	9500	5350	TBD	4130	5750	2850	1251	4101
138.0	3.2LD	9500	5000	TBD	4130	5750	3156	1295	4451
138.0 DRW	3.7L	9950	5610	TBD	4130	6500	2837	1416	4290
138.0 DRW	3.2LD	9950	5270	TBD	4130	6500	3176	1454	4630
138.0 DRW	3.7L	10,360	6020	TBD	4130	7275	2874	1416	4290
138.0 DRW	3.2LD	10,360	5680	TBD	4130	7275	3176	1454	4630
156.0	3.7L	9000	4790	TBD	4130	5515	2880	1281	4161
156.0	3.2LD	9000	4450	TBD	4130	5515	3182	1319	4501
156.0	3.7L	9500	5290	TBD	4130	6000	2880	1281	4161
156.0	3.2LD	9500	4950	TBD	4130	6000	3182	1319	4501
156.0 DRW	3.7L	9950	5590	TBD	4130	6835	2910	1403	4313
156.0 DRW	3.2LD	9950	5210	TBD	4130	6835	3212	1478	4690
156.0 DRW	3.7L	10,360	6000	TBD	4130	7275	2910	1403	4313
156.0 DRW	3.2LD	10,360	5620	TBD	4130	7275	3212	1478	4690
178.0 DRW	3.7L	9950	5500	TBD	4130	6835	2982	1423	4405
178.0 DRW	3.2LD	9950	5110	TBD	4130	6835	3238	1547	4785
178.0 DRW	3.7L	10,360	5910	TBD	4130	7275	2982	1423	4405
178.0 DRW	3.2LD	10,360	5520	TBD	4130	7275	3238	1547	4785

TRANSIT
DIMENSIONAL DATA
REGULAR WB 8-PASSENGER WAGON



SEC **A**



SEC **B**



SEC **C**





SEC **D**
TYPICAL OF ALL MODELS
ENGINE COVER TO FRONT SEATS
MINIMUM CLEARANCE
SEE CHART ON NEXT PAGE

NOTE — [ ] DIMENSIONS ARE INCHES.

(Cont'd next page)

TRANSIT
DIMENSIONAL DATA
REGULAR WB 10-PASSENGER WAGON



SEC **A**



SEC **B**



SEC **C**



SEC **E**
TYPICAL OF ALL MODELS
ENGINE COVER TO FRONT SEATS
MINIMUM CLEARANCE
SEE CHART ON NEXT PAGE





SEC **D**

NOTE — [ ] DIMENSIONS ARE INCHES.

(Cont'd next page)

TRANSIT
DIMENSIONAL DATA
REGULAR WB 12-PASSENGER WAGON



SEC **A**



SEC **B**



SEC **C**



SEC **D**
TYPICAL OF ALL MODELS
ENGINE COVER TO FRONT SEATS
MINIMUM CLEARANCE
SEE CHART ON NEXT PAGE





SEC **D**

NOTE — [ ] DIMENSIONS ARE INCHES.

(Cont'd next page)

TRANSIT
DIMENSIONAL DATA
LONG WB 12-PASSENGER WAGON



SEC **A**



SEC **B**



SEC **C**



SEC **D**





SEC **E**
TYPICAL OF ALL MODELS
ENGINE COVER TO FRONT SEATS
MINIMUM CLEARANCE
SEE CHART ON NEXT PAGE

NOTE — [ ] DIMENSIONS ARE INCHES.

(Cont'd next page)

TRANSIT
DIMENSIONAL DATA
LONG WB 15-PASSENGER WAGON



SEC **A**



SEC **B**



SEC **C**



SEC **D**



SEC **F**
TYPICAL OF ALL MODELS
ENGINE COVER TO FRONT SEATS
MINIMUM CLEARANCE
SEE CHART ON NEXT PAGE





SEC **E**

NOTE — [ ] DIMENSIONS ARE INCHES.
(Cont'd next page)

TRANSIT
DIMENSIONAL DATA
EXTENDED LENGTH LONG WB 15-PASSENGER WAGON



SEC **A**



SEC **B**



SEC **C**



SEC **D**



SEC **F**
TYPICAL OF ALL MODELS
ENGINE COVER TO FRONT SEATS
MINIMUM CLEARANCE
SEE CHART ON NEXT PAGE





SEC **E**

NOTE — [ ] DIMENSIONS ARE INCHES.

(Cont'd next page)

TRANSIT
DIMENSIONAL DATA
2-PASSENGER VAN



SEC **A**



SEC **B**



SEC **C**





SEC **D**
TYPICAL OF ALL MODELS
ENGINE COVER TO FRONT SEATS
MINIMUM CLEARANCE
SEE CHART ON NEXT PAGE

NOTE — [ ] DIMENSIONS ARE INCHES.

(Cont'd next page)

TRANSIT
DIMENSIONAL DATA
WAGON / VAN

ENGLISH UNITS

Dim Code	Wagon	Van	Exterior																		
Wheelbase				Regular	Regular	Regular	Regular	Long	Long	Long	Long	Long	Jumbo	Long		Regular	Regular	Long	Long	Long	Jumbo
Model				Wagon	Wagon	Wagon	Wagon	Wagon	Wagon	Wagon	Wagon	Wagon	Wagon	Wagon		Van	Van	Van	Van	Van	Van
Roof Height				Low	Low	Medium	Medium	Low	Low	Medium	Medium	High	High	High		Low	Medium	Low	Medium	High	High
Passenger Capacity				8	10	8	10	12	15	12	15	15	15	15		2	2	2	2	2	2
Rows (Passengers)				3 (2-3-3)	4 (2-2-3-3)	3 (2-3-3)	4 (2-2-3-3)	4 (2-3-3-4)	5 (2-3-3-3-4)	4 (2-3-3-4)	5 (2-3-3-3-4)	5 (2-3-3-3-4)	5 (2-3-3-3-4)	4 (2-3-3-4)		1	1	1	1	1	1
L101	X	X	Wheelbase [in]	129.9	129.9	129.9	129.9	147.6	147.6	147.6	147.6	147.6	147.6	147.6		129.9	129.9	147.6	147.6	147.6	147.6
L103	X	X	Length [in]	219.9	219.9	219.9	219.9	237.6	237.6	237.6	237.6	237.6	266.1	237.6		219.9	219.9	237.6	237.6	237.6	266.1
H101C-Ford	X	X	Height [in]	82.2	82.2	98.7	98.7	82.4	82.4	99.2	99.2	108.6	107.7	108.6		83.6	100.8	83.2	100.7	110.1	109.4
W103	X	X	Width - Excluding Mirrors (SRW/DRW) [in]	81.3	81.3	81.3	81.3	81.3	81.3	81.3	81.3	81.3	81.3	81.3		81.3	81.3	81.3	81.3	81.3	81.3 / 83.7
W410	X	X	Width - Including Mirrors [in]	98.1	98.1	98.1	98.1	98.1	98.1	98.1	98.1	98.1	98.1	98.1		98.1	98.1	98.1	98.1	98.1	98.1
W411	X	X	Width - Mirrors Folded [in]	83.2	83.2	83.2	83.2	83.2	83.2	83.2	83.2	83.2	83.2	83.2		83.2	83.2	83.2	83.2	83.2	83.2
W101C-Ford	X	X	Front Track (SRW/DRW) [in]	68.2	68.2	68.2	68.2	68.2	68.2	68.2	68.2	68.2	68.2	68.2		68.2	68.2	68.2	68.2	68.2	68.2 / 68.5
W102C-Ford	X	X	Rear Track (SRW/DRW) [in]	68.6	68.6	68.6	68.6	68.6	68.6	68.6	68.6	68.6	68.6	68.6		68.6	68.6	68.6	68.6	68.6	68.6 / 65.7
L104	X	X	Front Overhang [in]	40.3	40.3	40.3	40.3	40.3	40.3	40.3	40.3	40.3	40.3	40.3		40.3	40.3	40.3	40.3	40.3	40.3
L105	X	X	Rear Overhang [in]	49.7	49.7	49.7	49.7	49.7	49.7	49.7	49.7	49.7	78.1	49.7		49.7	49.7	49.7	49.7	49.7	78.1
H196	X	X	Load Height (Curb) [in]	28.2	28.2	28.2	28.2	28.8	28.8	28.8	28.8	28.8	27.8	28.8		28.9	28.9	28.7	28.7	28.7	28.0
H508		X	Side Cargo Door Opening Height [in]													49.6	63.0	49.6	63.0	63.0	63.0
L508		X	Side Cargo Door Opening Width - Hinged [in]													51.2	51.2	51.2	51.2	51.2	51.2
L508		X	Side Cargo Door Opening Width - Sliding [in]													51.2	51.2	51.2	51.2	51.2	51.2
H202	X	X	Rear Cargo Door Opening Height [in]	46.9	62.8	62.8	62.8	46.9	46.9	62.8	62.8	72.2	72.2	72.2		49.5	64.9	49.5	64.9	74.3	74.3
W203	X	X	Rear Cargo Door Opening Width [in]	59.8	59.8	59.8	59.8	59.8	59.8	59.8	59.8	59.8	59.8	59.8		61.7	61.7	61.7	61.7	61.7	61.7
	X	X	**Interior**																		
H61	X	X	Head Room - First Row [in]	40.8	40.8	52.0	52.0	40.8	40.8	52.0	52.0	56.6	56.6	56.6		40.8	52.0	40.8	52.0	56.6	56.6
H63	X		Head Room - Second Row [in]	41.1	41.1	55.8	55.8	41.1	41.1	55.8	55.8	65.2	65.2	65.2							
H86	X		Head Room - Third Row [in]	40.6	40.6	55.8	55.8	65.2	65.2	55.8	55.8	65.2	65.2	65.2							
H86-4th	X		Head Room - Fourth Row [in]		38.7		55.8	38.7	38.7	55.8	55.8	65.2	65.2	65.2							
H86-5th	X		Head Room - Fifth Row [in]						34.2		47.2	55.0	55.0								
L33	X	X	Maximum Leg Room - First Row [in]	41.3	41.3	41.3	41.3	41.3	41.3	41.3	41.3	41.3	41.3	41.3		41.3	41.3	41.3	41.3	41.3	41.3
L51	X		Leg Room - Second Row [in]	33.7	33.7	33.7	33.7	33.7	33.7	33.7	33.7	33.7	33.7	33.7							
L86	X		Leg Room - Third Row [in]	35.6	35.6	35.6	35.6	35.6	35.6	35.6	35.6	35.6	35.6	35.6							
L86-4th	X		Leg Room - Fourth Row [in]		35.6		35.6	35.6	35.6	35.6	35.6	35.6	35.6	35.6							
L86-5th	X		Leg Room - Fifth Row [in]						35.6		35.6	35.6	35.6								
W5	X	X	Hip Room - First Row [in]	67.5	67.5	67.5	67.5	67.5	67.5	67.5	67.5	67.5	67.5	67.5		67.5	67.5	67.5	67.5	67.5	67.5
W6	X		Hip Room - Second Row [in]	69.6	69.6	69.6	69.6	69.6	69.6	69.6	69.6	69.6	69.6	69.6							
W86	X		Hip Room - Third Row [in]	67.3	67.3	67.3	67.3	67.3	67.3	67.3	67.3	67.3	67.3	67.3							
W86-4th	X		Hip Room - Fourth Row [in]		61.0		61.0	61.0	61.0	61.0	61.0	61.0	61.0	61.0							
W86-5th	X		Hip Room - Fifth Row [in]						61.0		61.0	61.0	61.0								
W3	X	X	Shoulder Room - First Row [in]	67.9	67.9	67.9	67.9	67.9	67.9	67.9	67.9	67.9	67.9	67.9		67.9	67.9	67.9	67.9	67.9	67.9
W4	X		Shoulder Room - Second Row [in]	71.4	71.4	71.4	71.4	71.4	71.4	71.4	71.4	71.4	71.4	71.4							
W85	X		Shoulder Room - Third Row [in]	67.0	67.0	67.0	67.0	67.0	67.0	67.0	67.0	67.0	67.0	67.0							
W85-4th	X		Shoulder Room - Fourth Row [in]		60.8		60.8	60.8	60.8	60.8	60.8	60.8	60.8	60.8							
W85-5th	X		Shoulder Room - Fifth Row [in]						60.8		60.8	60.8	60.8								
L202		X	Cargo Length Front (at Floor) [in]	124.0	124.0	124.0	124.0	141.7	141.7	141.7	141.7	141.7	170.2	141.7		126.0	126.0	143.7	143.7	143.7	172.2
L204		X	Cargo Length Front (at Belt) [in]	115.1	115.1	115.1	115.1	132.8	132.8	132.8	132.8	132.8	161.3	132.8		115.9	115.9	133.6	133.6	133.6	162.0
W201		X	Cargo Width Between Wheelhouse (SRW/DRW) [in]	53.7	53.7	53.7	53.7	53.7	53.7	53.7	53.7	53.7	53.7	53.7		54.8	54.8	54.8	54.8	54.8	54.8 / 45.4
H505		X	Cargo Height Maximum [in]	52.8	67.6	67.6	67.6	52.8	52.8	67.6	67.6	77.0	77.0	77.0		56.9	72.0	56.9	72.0	81.5	81.5
	X	X	**Cargo Capacity (Cu. Ft.)**																		
V6	X	X	Cargo Volume Behind First Row (Wagon/Van)	224.5	250.2	326.3	326.3	285.9	285.9	374.7	374.7	426.6	515.0	426.6		246.7	315.2	277.7	357.1	404.3	487.3
V7	X		Cargo Volume Behind Second Row (Wagon)	151.8	169.2	220.7	220.7	204.0	204.0	267.3	267.3	304.4	389.8	304.4							
V9	X		Cargo Volume Behind Third Row (Wagon)	94.2	105.0	139.4	139.4	138.8	138.8	186.0	186.0	211.8	297.2	211.8							
V12	X		Cargo Volume Behind Fourth Row (Wagon)		43.5		0.0	78.2	78.2	104.7	104.7	119.2	205.1	119.2							
V13	X		Cargo Volume Behind Fifth Row (Wagon)						N/A		N/A	N/A	112.0								
V14		X	Maximum Cargo Volume with Front Passenger Seat Removed (Van Only)													285.0	363.8	316.1	405.6	459.2	542.2

NOTE — [ ] DIMENSIONS ARE ENGLISH.

(Cont'd next page)

TRANSIT
DIMENSIONAL DATA
WAGON / VAN

METRIC UNITS

Dim Code	Wagon	Van		Wheelbase	Regular	Regular	Regular	Regular	Long	Long	Long	Long	Long	Jumbo	Long		Regular	Regular	Long	Long	Long	Jumbo
				Model	Wagon	Wagon	Wagon	Wagon	Wagon	Wagon	Wagon	Wagon	Wagon	Wagon	Wagon		Van	Van	Van	Van	Van	Van
				Roof Height	Low	Low	Medium	Medium	Low	Low	Medium	Medium	High	High	High		Low	Medium	Low	Medium	High	High
				Passenger Capacity	8	10	8	10	12	15	12	15	15	15	12		2	2	2	2	2	2
				Rows (Passengers)	3 (2-3-3)	4 (2-2-3-3)	3 (2-3-3)	4 (2-2-3-3)	4 (2-3-3-4)	5 (2-3-3-3-4)	4 (2-3-3-4)	5 (2-3-3-3-4)	5 (2-3-3-3-4)	5 (2-3-3-3-4)	4 (2-3-3-4)		1	1	1	1	1	1
L101	X	X	Wheelbase [mm]		3300	3300	3300	3300	3750	3750	3750	3750	3750	3750	3750		3300	3300	3750	3750	3750	3750
L103	X	X	Length [mm]		5585	5585	5585	5585	6035	6035	6035	6035	6035	6758	6035		5585	5585	6035	6035	6035	6758
H101C-Ford	X	X	Height [mm]		2089	2089	2506	2506	2092	2092	2520	2520	2759	2736	2759		2123	2561	2114	2558	2797	2780
W103	X	X	Width - Excluding Mirrors (SRW/DRW) [mm]		2066	2066	2066	2066	2066	2066	2066	2066	2066	2066	2066		2066	2066	2066	2066	2066	2066 / 2126
W410	X	X	Width - Including Mirrors [mm]		2492	2492	2492	2492	2492	2492	2492	2492	2492	2492	2492		2492	2492	2492	2492	2492	2492
W411	X	X	Width - Mirrors Folded [mm]		2114	2114	2114	2114	2114	2114	2114	2114	2114	2114	2114		2114	2114	2114	2114	2114	2114
W101C-Ford	X	X	Front Track (SRW/DRW) [mm]		1732	1732	1732	1732	1732	1732	1732	1732	1732	1732	1732		1732	1732	1732	1732	1732	1732 / 1740
W102C-Ford	X	X	Rear Track (SRW/DRW) [mm]		1743	1743	1743	1743	1743	1743	1743	1743	1743	1743	1743		1743	1743	1743	1743	1743	1743 / 1670
L104	X	X	Front Overhang [mm]		1023	1023	1023	1023	1023	1023	1023	1023	1023	1023	1023		1023	1023	1023	1023	1023	1023
L105	X	X	Rear Overhang [mm]		1262	1262	1262	1262	1262	1262	1262	1262	1262	1985	1262		1262	1262	1262	1262	1262	1985
H196	X	X	Load Height (Curb) [mm]		717	717	717	717	731	731	731	731	731	707	731		733	733	730	730	730	712
H508		X	Side Cargo Door Opening Height [mm]														1260	1601	1260	1601	1601	1601
L508		X	Side Cargo Door Opening Width - Hinged [mm]														1300	1300	1300	1300	1300	1300
L508		X	Side Cargo Door Opening Width - Sliding [mm]														1300	1300	1300	1300	1300	1300
H202	X	X	Rear Cargo Door Opening Height [mm]		1192	1192	1595	1595	1192	1192	1595	1595	1834	1834	1834		1258	1648	1258	1648	1887	1887
W203	X	X	Rear Cargo Door Opening Width [mm]		1520	1520	1520	1520	1520	1520	1520	1520	1520	1520	1520		1568	1568	1568	1568	1568	1568
	X	X	**Interior**																			
H61	X	X	Head Room - First Row [mm]		1037	1037	1320	1320	1037	1037	1320	1320	1437	1437	1437		1037	1320	1037	1320	1437	1437
H63	X		Head Room - Second Row [mm]		1045	1045	1417	1417	1045	1045	1417	1417	1656	1656	1656							
H86	X		Head Room - Third Row [mm]		1032	1032	1417	1417	1657	1657	1417	1417	1657	1657	1657							
H86-4th	X		Head Room - Fourth Row [mm]			983		1417	983	983	1417	1417	1657	1657	1657							
H86-5th	X		Head Room - Fifth Row [mm]							969		1336	1557	1557								
L33	X	X	Maximum Leg Room - First Row [mm]		1050	1050	1050	1050	1050	1050	1050	1050	1050	1050	1050		1050	1050	1050	1050	1050	1050
L51	X		Leg Room - Second Row [mm]		855	855	855	855	855	855	855	855	855	855	855							
L86	X		Leg Room - Third Row [mm]		903	903	903	903	903	903	903	903	903	903	903							
L86-4th	X		Leg Room - Fourth Row [mm]			903		903	903	903	903	903	903	903	903							
L86-5th	X		Leg Room - Fifth Row [mm]							903		903	903	903								
W5	X	X	Hip Room - First Row [mm]		1714	1714	1714	1714	1714	1714	1714	1714	1714	1714	1714		1714	1714	1714	1714	1714	1714
W6	X		Hip Room - Second Row [mm]		1767	1767	1767	1767	1767	1767	1767	1767	1767	1767	1767							
W86	X		Hip Room - Third Row [mm]		1709	1709	1709	1709	1709	1709	1709	1709	1709	1709	1709							
W86-4th	X		Hip Room - Fourth Row [mm]			1728		1728	1728	1728	1728	1728	1728	1728	1728							
W86-5th	X		Hip Room - Fifth Row [mm]							1728		1728	1728	1728								
W3	X	X	Shoulder Room - First Row [mm]		1724	1724	1724	1724	1724	1724	1724	1724	1724	1724	1724		1724	1724	1724	1724	1724	1724
W4	X		Shoulder Room - Second Row [mm]		1813	1813	1813	1813	1813	1813	1813	1813	1813	1813	1813							
W85	X		Shoulder Room - Third Row [mm]		1703	1703	1703	1703	1703	1703	1703	1703	1703	1703	1703							
W85-4th	X		Shoulder Room - Fourth Row [mm]			1722		1722	1722	1722	1722	1722	1722	1722	1722							
W85-5th	X		Shoulder Room - Fifth Row [mm]							1722		1722	1722	1722								
L202		X	Cargo Length Front (at Floor) [mm]		3150	3150	3150	3150	3600	3600	3600	3600	3600	4323	3600		3200	3200	3650	3650	3650	4373
L204		X	Cargo Length Front (at Belt) [mm]		2924	2924	2924	2924	3374	3374	3374	3374	3374	4097	3374		2943	2943	3393	3393	3393	4116
W201		X	Cargo Width Between Wheelhouse (SRW/DRW) [mm]		1364	1364	1364	1364	1364	1364	1364	1364	1364	1364	1364		1392	1392	1392	1392	1392	1392 / 1154
H505		X	Cargo Height Maximum [mm]		1340	1340	1718	1718	1340	1340	1718	1718	1956	1956	1956		1446	1830	1446	1830	2069	2069
	X	X	**Cargo Capacity (Liters)**																			
V6	X	X	Cargo Volume Behind First Row (Wagon/Van)		6356	6356	8288	8288	7262	7262	9516	9516	10834	13081	10834		6985	8926	7863	10111	11447	13797
V7	X		Cargo Volume Behind Second Row (Wagon)		4298	4298	5605	5605	5182	5182	6791	6791	7731	9900	7731							
V9	X		Cargo Volume Behind Third Row (Wagon)		2668	2668	3540	3540	3526	3526	4725	4725	5380	7548	5380							
V12	X		Cargo Volume Behind Fourth Row (Wagon)			1106		1467	1985	1985	2660	2660	3029	5211	3029							
V13	X		Cargo Volume Behind Fifth Row (Wagon)							N/A		N/A	N/A	2845								
V14		X	Maximum Cargo Volume with Front Passenger Seat Removed (Van Only)														8072	10301	8949	11486	13002	15353

NOTE — DIMENSIONS ARE METRIC.

(Cont'd next page)

TRANSIT
DIMENSIONAL DATA
138” WB CHASSIS CAB / CUTAWAY



NOTE — [ ] DIMENSIONS ARE INCHES.

(Cont'd next page)

TRANSIT
DIMENSIONAL DATA
156” WB CHASSIS CAB / CUTAWAY



NOTE — [ ] DIMENSIONS ARE INCHES.

(Cont'd next page)

TRANSIT
DIMENSIONAL DATA
178” WB CHASSIS CAB / CUTAWAY



NOTE — [ ] DIMENSIONS ARE INCHES.

(Cont'd next page)

TRANSIT
DIMENSIONAL DATA
CHASSIS CAB / CUTAWAY

ENGLISH UNITS

Dim Code	TRANSIT: CHASSIS CAB / CUTAWAY	Regular T250 CC/CA SRW	Regular T350 HD CC/CA DRW	Regular T350 HD CC/CA DRW	Long T250 CC/CA SRW	Long T350 CC/CA SRW	Long T350 HD CC/CA DRW	Long T350 HD CC/CA DRW	Super Jumbo T350 HD CC/CA DRW	Super Jumbo T350 HD CC/CA DRW
L101	Wheelbase [in]	138.0	138.0	138.0	155.7	155.7	155.7	155.7	178.0	178.0
L103	Overall Length [in]	223.3	223.3	223.3	241.1	241.1	241.1	241.1	263.4	263.4
W101C	Front Track [in]	68.2	68.5	68.5	68.2	68.2	68.5	68.5	68.5	68.5
W102C	Rear Track [in]	68.6	65.7	65.7	68.6	68.6	65.7	65.7	65.7	65.7
N/A	Rear Axle to End of Frame [in] or Rear Overhang	45.1	45.1	45.1	45.1	45.1	45.1	45.1	45.1	45.1
N/A	Load Height (Loaded) [in]	25.0	24.7	24.3	25.8	25.4	25.6	25.3	24.9	24.6
N/A	Height at Top of Steering Wheel (Loaded) [in]	60.5	59.6	59.4	60.2	60.1	59.2	59.1	60.0	59.9
N/A	Rear Axle Clearance (Loaded) [in]	5.6	5.5	5.5	6.1	5.9	6.1	6.0	5.9	6.0

METRIC UNITS

Dim Code	TRANSIT: CHASSIS CAB / CUTAWAY	Regular T250 CC/CA SRW	Regular T350 HD CC/CA DRW	Regular T350 HD CC/CA DRW	Long T250 CC/CA SRW	Long T350 CC/CA SRW	Long T350 HD CC/CA DRW	Long T350 HD CC/CA DRW	Super Jumbo T350 HD CC/CA DRW	Super Jumbo T350 HD CC/CA DRW
L101	Wheelbase [mm]	3504	3504	3504	3954	3954	3954	3954	4522	4522
L103	Overall Length [mm]	5673	5673	5673	6123	6123	6123	6123	6691	6691
W101C	Front Track [mm]	1732	1740	1740	1732	1732	1740	1740	1740	1740
W102C	Rear Track [mm]	1743	1670	1670	1743	1743	1670	1670	1670	1670
N/A	Rear Axle to End of Frame [mm] or Rear Overhang	1146	1146	1146	1146	1146	1146	1146	1146	1146
N/A	Load Height (Loaded) [mm]	634	627	616	656	645	649	643	633	624
N/A	Height at Top of Steering Wheel (Loaded) [mm]	1537	1513	1510	1529	1526	1503	1500	1523	1521
N/A	Rear Axle Clearance (Loaded) [mm]	141	140	139	155	151	154	153	150	153

23
TRANSIT

TRANSIT
REAR FRAME EXTENSION
CHASSIS CAB / CUTAWAY

2018
MODEL YEAR


UP TO 762 [30.0] MAX LENGTH 138" WHEELBASE
UP TO 1270 [50.0] MAX LENGTH 156" WHEELBASE
UP TO 2032 [80.0] MAX LENGTH 178" WHEELBASE*
948.8 [37.35]
END OF FRAME
TOP OF FRAME
181.3 [7.14]
31.3 [1.23]
29.4 [1.16]
94.4 [3.72]
FRAME EXTENSION
8 HOLES 12.8 [.504] DIA.
TBD BY UPFITTER
*GREATER THAN 1524 [60.0] EXTENSION REQUIRES ADDITIONAL CROSSMEMBER
℄ REAR WHEEL



NOTE — [ ] DIMENSIONS ARE INCHES.

TRANSIT
BACK OF CAB MOUNTING HOLES
CUTAWAY



NOTE — [ ] DIMENSIONS ARE INCHES.

(Cont'd next page)

TRANSIT
FUEL TANKS
ALL MODELS





GASOLINE FUEL TANK



DIESEL FUEL TANK

TRANSIT
REAR AXLE TRACK DIMENSIONS
SRW & DRW





NOTE — [ ] DIMENSIONS ARE INCHES.

TRANSIT
EXHAUST EXTENSION KIT
CHASSIS CAB / CUTAWAY


831
[32.7]
70
[2.8]
NOTE: The upfitter must cut-off rear end of existing longitudinal exhaust pipe in order to properly locate the provided 90° exhaust extension kit.

TRANSIT EXTENDED EXHAUST
GASOLINE ENGINE
ALL WB CHASSIS CAB /CUTAWAY



TRANSIT EXTENDED EXHAUST
DIESEL ENGINE
ALL WB CHASSIS CAB / CUTAWAY

NOTE — [ ] DIMENSIONS ARE INCHES.

TRANSIT
FRONT SURFACE AREA WORKSHEET
CHASSIS CAB / CUTAWAY



A = BOX HEIGHT (INCHES)
B = BOX WIDTH (INCHES)

TO FIND **FRONT SURFACE AREA** (**SQ. INCHES**):
(**A** X **B**) + 1429.7 = _____

TO FIND **FRONT SURFACE AREA** (**SQ. FEET**):
((**A** X **B**) / 144) + 9.93 = _____

2017 Content Shown
2018 Content Pending

Below Frame Shaded Area =
728601 / (25.4 X 25.4) = 1129.3338 SQ. IN.
1129.3338 / (12 X 12) = 7.8426 SQ. FT.

Mirror Shaded Area =
(96882.4 X 2) / (25.4 X 25.4) = 300.3360 SQ. IN.
300.3360 / (12 X 12) = 2.0857 SQ. FT.

Total Shaded Area =
922365.8 / (25.4 X 25.4) = 1429.6698 SQ. IN.
1429.6698 / (12 X 12) = 9.9282 SQ. FT.

SRW TRANSIT CC/CA FRONT SURFACE AREA WORKSHEET

(Cont'd next page)

TRANSIT
FRONT SURFACE AREA WORKSHEET
CHASSIS CAB / CUTAWAY (CONT'D)



A = BOX HEIGHT (INCHES)
B = BOX WIDTH (INCHES)

TO FIND **FRONT SURFACE AREA** (**SQ. INCHES**):
(**A** X **B**) + 1715.6 = _____

TO FIND **FRONT SURFACE AREA** (**SQ. FEET**):
((**A** X **B**) / 144) + 11.91 = _____

Below Frame Shaded Area =
913123.8 / (25.4 X 25.4) = 1415.3447 SQ. IN.
1415.3447 / (12 X 12) = 9.8287 SQ. FT.

Mirror Shaded Area =
(96882.4 X 2) / (25.4 X 25.4) = 300.3360 SQ. IN.
300.3360 / (12 X 12) = 2.0857 SQ. FT.

Total Shaded Area =
1106888.6 / (25.4 X 25.4) = 1715.6808 SQ. IN.
1715.6808 / (12 X 12) = 11.9144 SQ. FT.

DRW TRANSIT CC/CA FRONT SURFACE AREA WORKSHEET

TRANSIT
SEAT H-POINT
ALL MODELS



2-WAY SEATS



MULTI-WAY SEATS

TRANSIT SEATING REFERENCE POINT (SRP)										
Seat Model	Seat Dimensions								SgRP Location	
	A	B	C	D	E	F	G	H	X	Y
2-Way Seats	302 [11.9]	54 [2.1]	449 [17.7]	449 [17.7]	—	—	—	—	261 [10.3]	449 [17.7]
4-Way Seats	290 [11.4]	42 [1.7]	477 [18.8]	477 [18.8]	47 [1.9]	295 [11.6]	418 [16.5]	412 [16.2]	261 [10.3]	449 [17.7]
10-Way Seats	293 [11.5]	44 [1.7]	479 [18.9]	479 [18.9]	35 [1.4]	284 [11.2]	400 [15.7]	400 [15.7]	261 [10.3]	449 [17.7]
Seat Track Angle To Top Of Frame = 2.4°										

NOTE — [ ] DIMENSIONS ARE INCHES.

TRANSIT
AIRBAG OCCUPANT PROTECTION ZONES
TYPICAL



TRANSIT OCCUPANT PROTECTION ZONE



TRANSIT OCCUPANT PROTECTION ZONE



TRANSIT OCCUPANT PROTECTION ZONE (TYPICAL)

2018 Transit - Trailer Towing Wiring Harness

Specs > Electrical

Circuit Number	Circuit Description	Color Code
RAT08	Ground	White
CAT17	Park Lamps	Brown
CAT14	Trailer Battery Feed	Orange
CAT19	To Electric Brakes	Dark Blue
CAT09	RH Turn Signal and Stop Lamps	Dark Green
CAT06	LH Turn Signal and Stop Lamps	Yellow
CAT03/CAT16	Trailer Backup Lamps	Grey with Brown Stripe
CBP30	Front Brake Controller Running Lamp Feed/Park Lamp Feed	Yellow with Blue Stripe
CBP40	Rear Brake Controller Running Lamp Feed/Park Lamp Feed	Yellow with Green Stripe
CLS30	Brake Controller Running Lamp Feed/Park Lamp Feed	Violet with White Stripe
CCB08	Vehicle Stop Lamps	Violet with White Stripe
SBB18/SBB17	B+ to Electric Brake Controller	Yellow with Red Stripe

2018 Transit - Trailer Towing Wiring Harness

Specs > Electrical Continued

4-Pin Harness


FUNCTION (WIRE COLOR CODES)
TRAILER RIGHT HAND STOP/TURN SIGNAL LAMP (DARK GREEN)
TRAILER LEFT HAND STOP/TURN SIGNAL LAMP (YELLOW)
TRAILER RUNNING LAMPS (BROWN/WHITE STRIPES)
TRAILER GROUND (WHITE)

7-Pin Harness


FUNCTION (WIRE COLOR CODES)
TRAILER ELECTRIC BRAKE FEED FROM BRAKE CONTROLLER (OUTPUT) (DARK BLUE)
TRAILER GROUND (WHITE)
TRAILER LEFT HAND STOP/TURN SIGNAL LAMP (YELLOW)
TRAILER BACKUP LAMPS (BLACK/LIGHT GREEN STRIPE)
TRAILER RUNNING LAMPS (BROWN/WHITE STRIPE)
TRAILER BATTERY FEED (HOT WITH KEY IN RUN ONLY) (ORANGE)
TRAILER RIGHT HAND STOP/TURN SIGNAL LAMP (DARK GREEN)